



27

11. The method of claim 10 wherein the compound is




12. The method of claim 10 wherein the compound is




13. A method of improving motor function in patients with Spinal Cord Injury wherein the Spinal Cord Injury is long-standing comprising administering to a patient in need thereof a therapeutically effective amount of the compound of claim 1.

14. The method of claim 13 wherein R is hydrogen, halogen, trifluoromethyl, or C₁-C₆alkyl; R₁ is hydrogen or C₁-C₆alkyl; R₂ is hydrogen or C₁-C₆alkyl; R₃ is hydrogen, C₁-C₆alkyl or halogen; and p is 0.

15. The method of claim 14 wherein the compound is



16. The method of claim 14 wherein the compound is




17. A method of treating the loss of feeling that results from an injury to the spinal cord comprising administering to a patient in need thereof a therapeutically effective amount of the compound of claim 1.


28

18. The method of claim 17 wherein R is hydrogen, halogen, trifluoromethyl, or C₁-C₆alkyl; R₁ is hydrogen or C₁-C₆alkyl; R₂ is hydrogen or C₁-C₆alkyl; R₃ is hydrogen, C₁-C₆alkyl or halogen; and p is 0.

19. The method of claim 18 wherein the compound is




20. The method of claim 18 wherein the compound is




21. A method of enhancing muscle function in patients with Spinal Cord Injury comprising administering to a patient in need thereof a therapeutically effective amount of the compound of claim 1.

22. The method of claim 21 wherein R is hydrogen, halogen, trifluoromethyl, or C₁-C₆alkyl; R₁ is hydrogen or C₁-C₆alkyl; R₂ is hydrogen or C₁-C₆alkyl; R₃ is hydrogen, C₁-C₆alkyl or halogen; and p is 0.

23. The method of claim 22 wherein the compound is



24. The method of claim 22 wherein the compound is



* * * * *